

*Reliable Innovation for
Consumables & Optimization*



The Innovative PolyClean Applicator (PCA) System Eliminates Costly Deposits in the Drying Section.

Papermakers are constantly challenged with a variety of deposits and impurities in the dryer section that include stickies, fiber dust and starch/coating particles. As these impurities build up on the drying cylinders and dryer fabric they create a multitude of problems that affect safety, quality and profitability.




Dryer Can without PolyClean Applicator System




Dryer Can with PolyClean Applicator System

Dirty dryer cylinders and fabrics can create health and safety hazards such as dust explosions, fires and injuries from manual cleaning; sheet quality issues due to holes in the sheet, dirt in the sheet, poor moisture profiles and printability issues; production issues due to breaks, waste, shutdowns and reduced drying efficiency; converting issues due to breaks, deposits and waste.



Dryer Fabric without PCA



Dryer Fabric with PCA

The PCA System is Simple to Install and Provides Continuous Cleaning of the Dryer Fabric and Drying Cylinders for Improved Sheet Quality and Machine Efficiency.

Traditional solutions for cleaning the dryer cylinders and fabrics include high pressure cleaning, chemical cleaning, dry ice cleaning or shut downs for manual cleaning, all of which are costly short-term solutions to a continuous problem.

The PolyClean Applicator System easily attaches to an existing blade holder and includes an application wick for continuous and uniform metering of our PolyClean passivation agent to both the dryer cylinder and the dryer fabric. The VOC-free PolyClean complies with the FDA for paper and paperboard in contact with aqueous and fatty foods.



PCA System with Wick Applicator - Top View



PCA System with Wick Applicator - Bottom View

The PolyClean Dosing Unit Requires Minimal Space.

The applicator and the dosing unit are provided at no charge. The dosing unit requires minimal space and includes a flow measurement monitoring unit, a dosing pump and a filter unit. The dosing unit can be easily attached to the PolyClean additive tote.

Developed in Germany by CTP and patented worldwide, Coldwater is the exclusive licensee for the PCA technology in North America.



The PCA Dosing Unit is Provided at No Charge

Let Consumables Optimization Management Be Our Problem.

Let us help you manage your paper machine consumables. Our COM program packages these many products and services into one spend with volume rebates and consignment programs matched to the need. COM can be structured for machine level, mill level or corporate level needs. Contact your local representative for more information.

Coldwater Offers a Complete Line of Reliable Innovations to Optimize Paper Machine Performance.

**Suction Roll
Components**



**Wilbanks
Ceramics**



**Headbox
Services**



**Drainage
Elements**



**BladePro
Doctor Blades**



**Edge
Control**



**Vacuum
Valves**



*Reliable Innovation for
Consumables & Optimization*

Atlanta & Appleton USA
+1 404 842 0012

Karlstad Sweden
+46 (0) 554 68 9820

Kunshan China
+86 512 5777 7691

***To learn more or to locate the PolyClean Applicator Specialist
most convenient to your mill, please visit coldwatergroup.com.***